



SOK

GUANGDONG JINLI ELECTRICAL APPLIANCE CO., LTD.

ADD:
Jinli Industrial Mansion,
Longsheng south road,
Leliu Shunde P.R.C

TEL:
86-757-25333127
FAX:
86-757-25333206

HTTP:
www.jinli.com
E-MAIL:
export01@jinli.com



ISO9001

ISO14000



CB



RoHS



PRODUCT CATALOG

W 8 0

SOK




— Since 1985 —

Series W80



Series W80 Introduction

SOK



Security

- *Earthed Metal Frame and Screws
- *Fire-resistant PC for Back-housing
- *Child-proof Shuttered Outlets

Warranty & Certificate

- *10 Years for Non-electronic Items
- *2 Years for Electronic Items
- *CE ,CB and SASO Certificated (Switches and Sockets)

Structure Advantages



Metal frame plating to provide the strong backup of the slim profile



Terminal screws are backed out and captive terminals are upwards facing to make installation easier.

Certifications



Switches



W80/L1/1 1G 1W Switch	W80/L2/1 2G 1W Switches	W80/L3/1 3G 1W Switches	W80/L4/1 4G 1W Switches	W80/L4/1/B 4G 1W Switches
W80/L1/2 1G 2W Switch	W80/L2/2 2G 2W Switches	W80/L3/2 3G 2W Switches	W80/L4/2 4G 2W Switches	W80/L4/2/B 4G 2W Switches
W80/IS Intermediate Switch				
10AX 250V~	10AX 250V~	10AX 250V~	10AX 250V~	10AX 250V~
10Pcs/Box	10Pcs/Box	10Pcs/Box	10Pcs/Box	6Pcs/Box
25mm M-Box	25mm M-Box	25mm M-Box	25mm M-Box	25mm M-Box



W80/L6/1 6G 1W Switches	W80/L1/1/B 1G 1W Wide Rocker Switch	W80/L2/1/B 2G 1W Wide Rocker Switches	W80/L3/1/B 3G 1W Wide Rocker Switches	W80/L1/LB 1G Door Bell Switch
W80/L6/2 6G 2W Switches	W80/L1/2/B 1G 2W Wide Rocker Switch	W80/L2/2/B 2G 2W Wide Rocker Switches	W80/L3/2/B 3G 2W Wide Rocker Switches	
10AX 250V~	10AX 250V~	10AX 250V~	10AX 250V~	10A 250V~
6Pcs/Box	10Pcs/Box	10Pcs/Box	10Pcs/Box	10Pcs/Box
25mm M-Box	35mm M-Box	35mm M-Box	35mm M-Box	25mm M-Box



W80/20L1 1G 20A D/P Switch W/Neon	W80/20L2 2G 20A D/P Switches W/Neon	W80/45L1 1G 45A D/P Switch W/Neon	W80/45L1/C 45A DP Cooker Connection Unit With 13A switched socket	W80/45L1/B 1G 45A D/P Switch W/Neon
20AX 250V~	20AX 250V~	45A 250V~	45A 250V~	45A 250V~
10Pcs/Box	10Pcs/Box	10Pcs/Box	6Pcs/Box	6Pcs/Box
25mm M-Box	25mm M-Box	25mm M-Box	35mm M-Box	35mm M-Box

Socket Outlets



W80/13U 1G BS Socket	W80/13UK 1G Switched BS Socket	W80/13UKD 1G Switched BS Socket W/Neon	W80/13U/2 2G BS Sockets	W80/13UK/2 2G Switched BS Sockets
	W80/13UKS 1G D/P Switched BS Socket	W80/13UKSD 1G D/P Switched BS Socket W/Neon		W80/13UKS/2 2G D/P Switched BS Sockets
13A 250V~	13A 250V~	13A 250V~	13A 250V~	13A 250V~
10Pcs/Box	10Pcs/Box	10Pcs/Box	6Pcs/Box	6Pcs/Box
25mm M-Box	25mm M-Box	25mm M-Box	25mm M-Box	25mm M-Box



W80/13UKD/2 2G Switched BS Sockets W/Neon	W80/15U 1G 15A Socket	W80/15UK 1G Switched 15A Socket	W80/15UKD 1G Switched 15A Socket W/Neon	W80/5UK 1G 5A BS Socket
W80/13UKSD/2 2G D/P Switched BS Sockets W/Neon		W80/15UKS 1G D/P Switched 15A Socket	W80/15UKSD 1G D/P Switched 15A Socket W/Neon	
		W80/32UKS 1G D/P Switched 32A Socket		
13A 250V~		15A 250V~	15A 250V~	5A 250V~
6Pcs/Box		10Pcs/Box	10Pcs/Box	10Pcs/Box
25mm M-Box		35mm M-Box	35mm M-Box	35mm M-Box



W80/5UK 1G Switched 5A BS Socket	W80/5UKD 1G Switched 5A BS Socket W/Neon	W80/10U 1G 2 Pin Universal Socket	W80/10US 2G 2 Pin Universal Sockets	W80/10UK 1G Switched 2 Pin Universal Socket	W80/13US 1G Universal Socket
	W80/5UKSD 1G D/P Switched 5A BS Socket W/Neon				
5A 250V~	5A 250V~	10A 250V~	10A 250V~	10A 250V~	13A 250V~
10Pcs/Box	10Pcs/Box	10Pcs/Box	10Pcs/Box	10Pcs/Box	10Pcs/Box
35mm M-Box	35mm M-Box	35mm M-Box	35mm M-Box	35mm M-Box	35mm M-Box

Information Units

					
W80/1TV 1G TV Socket	W80/1TVS 1G TV Satellite	W80/1TEL 1G RJ11 TEL Socket	W80/1LAN 1G RJ45 LAN Socket	W80/1TVS/B 1G TV Satellite	W80/1BSTE 1G BS Type TEL Socket
W80/2TV 2G TV Sockets	W80/2TVS 2G TV Satellite	W80/2TEL 2G RJ11 TEL Sockets	W80/2LAN 2G RJ45 LAN Sockets	W80/2TVS/B 2G TV Satellite	
10Pcs/Box 25mm M-Box	10Pcs/Box 25mm M-Box	10Pcs/Box 25mm M-Box	10Pcs/Box 25mm M-Box	10Pcs/Box 25mm M-Box	10Pcs/Box 25mm M-Box

Dimmer, Blank Plates


				
W80/TG/250 250W Light Dimmer	W80/TS/250 250W Fan Speed Controller	W80/TG/700 700W Light Dimmer	W80/86BP 86 Blank plate	W80/147BP 146 Blank plate
W80/TG/500 500W Light Dimmer	W80/TS/500 500W Fan Speed Controller			
250VA / 500VA MAX 220V~	250VA / 500VA MAX 220V~	700VA MAX 220V~		
6Pcs/Box 35mm M-Box	6Pcs/Box 35mm M-Box	6Pcs/Box 35mm M-Box	20Pcs/Box 25mm M-Box	10Pcs/Box 25mm M-Box

Fuse Connection Units

				
W80/FON 1G 13A Fused Outlet W/Neon	W80/FO 1G 13A Fused Outlet	W80/FOS 1G Switched 13A Fused Outlet	W80/20/O 20A Flex Outlet	W80/30/O 30A Outlet
				W80/60/O 45A Outlet
13A 250V~	13A 250V~	13A 250V~	20A 250V~	30/45A 250V~
10Pcs/Box 25mm M-Box	10Pcs/Box 25mm M-Box	10Pcs/Box 25mm M-Box	10Pcs/Box 25mm M-Box	6Pcs/Box 35mm M-Box

	British Standard/IEC	Malaysia Standard	Singapore Stadard
10A/AX Light Switches (10AX switch rating means no need to derate its current rating when connected to fluorescent lamps or inductive loads)	IEC/BSEN 60669	MS IEC 60669	SS 227
20AX DP Switches	IEC/BSEN 60669	MS IEC 60669	SS 227
13A Socket Outlets	BS 1363	MS 589	SS 145
15A Socket Outlets	BS 546	-	SS 472
Fused Connection Units	BS 1363	-	SS 403
20A/30A/45A Connection Unit	BS 5733	-	SS 241
DATA Communication Outlets	BS 5733	-	SS 241
13A Universal Socket Outlet	BS 5733	-	SS 241
45A DP Switch	BSEN 60669	-	-
45A DP Cooker Connection Unit With 13A switches socket	BS 4177	-	-
Dimmer/Fan Speed Controller	IEC 60669	MS IEC 60669	SS 227

Fitting Centres:



Packing Information:

10 Boxes / Carton

Carton Dimension:

490X320X200 mm